



THE GREEN MAT REVOLUTION

For the production of your mats and carpets we use ecological materials and our eco-friendly manufacturing processes follow the most modern state of the art production techniques according highest environmental and ecological standards.

Mats from **MyDockMats** do not burden the ecological balance as our materials are made out of a mix of recycled materials that can be recycled again after their life as a mat.

Our long lasting design mats with excellent dirt trapping capacity is a World's First in the mat business:

Polyester fabric. This high-quality fibre works like little brushes and leads dirt and moisture to the bottom of the mat.

Thanks to this process the fibres do not become impregnated with water and keep their effectiveness.

The colors keep their brilliance though all the washings and UV-light thanks to our "Colour SealedTM" technology.

With your **MyDockMats** mat you help to keep the world cleaner, without increased costs and backed by our 100% quality guarantee.



ONE tree for every mat sold !

ONE m2 = 20 recycled bottles !



IN A FEW WORDS

* 80% less water consumption during production process

* 30% less energy consumption during manufacturing process

* Use of recyclable materials

* High quality PET polyester fibers (No rubber, No PVC)

* High tech digital printing quality (300dpi)

* UV resistant thanks to our Colour SealedTM technology


* Washable up to 60°C

* 5 years producer warranty

* Flexible production from 1 piece up to 1.000's

The brand *My Dock Mat* offers high quality floor mats, carpets, carpet runners for the Entrance, Kitchen, Hallway, Living room, Bedroom & Bathroom.

The *My Dock Mat* product line focuses on Home Living Feeling - **INSPIRED BY NATURE**. Using new innovation allows us to produce floor mats & carpets with photo-realistic designs by using eco-friendly materials.



DESIGN

With MyDockMats it's easy to create your custom mat :

FILE FORMAT

We operate with an automatic workflow. Therefore we need your files as TIF format with ZIP or as PDF.
Please send us the files flat (no layers), pictures embedded and all text outlined.
We can also make your design art work, with a surcharge.

COLOR/COLOR RANGE

Please use the Adobe RGB 1998 color range (Adobe 1998.icc) or CMYK (Caoted F0GRA39.icc), so that our RIP software can interpret your data in a correct way. Special colors (Pantone Solid Coated) are possible with a surcharge.

PRINTING RESOLUTION

Please produce your image at 100 dpi at 100% size. For example: 85 x 150 cm, 100 dpi.

SAFE PRINTING AREA

Please place objects with 3 cm distance to the border off he mat. If your mat is longer than 200 cm please increase this distance to 5 cm because of tolerances during production process. We do not recommend using printed borders. If you need to print a border it has to be minimum 5 cm thick or min. 5 cm distance to the border of the mat and min. 1 cm thick.

FONT SIZE/LINE WIDTH

Text must be a minimum of 2 cm (small letters) and lines must be a minimum of 3 mm. This is with a good contrast (text/line dark color, background light color). If the contrast is poor please increase these values.





Technical Data



Surface : Polyester 660 Gr	Lavable : 40-60°C+
Floor : High Twist Poly (HTP)	Classification feux : en cours
Fibre: Sealed Color Poly	Certificat: Öko-Tex 100
Poids : 2,0 Kg/m2	Semelle : TPE anti-dérapant
Hauteur : env. 7mm	Anti-statique
Délai: Expédition sous 10/12 jours ouvrables	Garantie 5 ans
Taille jusqu'à max. 190 cm de large et 400 cm de Longueur	
Des tolérances de production de +/-3% peuvent survenir. Il peut y avoir de légères tolérances de couleurs	